




Saint-Gobain

Sani-Tech® Horizontal Pressure Gauge Guard

- Isolates the metallic gauge from sensitive media
- Protects the gauge from corrosive media
- Sanitary connection sizes: 3/4", 1", 1-1/2", and 2"
- Available in polypropylene or PVDF materials



1

Item #	Size	A	B	C	Gauge	Material	CAD
<u>THG075-15</u>	MINI	4.000 in	1.810 in	3.810 in	15 psi	Polypropylene	
<u>THG075-30</u>	MINI	4.000 in	1.810 in	3.810 in	30 psi	Polypropylene	
<u>THG075-60</u>	MINI	4.000 in	1.810 in	3.810 in	60 psi	Polypropylene	
<u>THG075-100</u>	MINI	4.000 in	1.810 in	3.810 in	100 psi	Polypropylene	
<u>THG075-200</u>	MINI	4.000 in	1.810 in	3.810 in	200 psi	Polypropylene	
<u>THG100-15</u>	MAXI	4.000 in	1.810 in	3.810 in	15 psi	Polypropylene	
<u>THG100-30</u>	MAXI	4.000 in	1.810 in	3.810 in	30 psi	Polypropylene	
<u>THG100-60</u>	MAXI	4.000 in	1.810 in	3.810 in	60 psi	Polypropylene	
<u>THG100-100</u>	MAXI	4.000 in	1.810 in	3.810 in	100 psi	Polypropylene	
<u>THG100-200</u>	MAXI	4.000 in	1.810 in	3.810 in	200 psi	Polypropylene	

Item #	Size	A	B	C	Gauge	Material	CAD
<u>THG150-15</u>	1 1/2	4.800 in	2.630 in	4.500 in	15 psi	Polypropylene	
<u>THG150-30</u>	1 1/2	4.800 in	2.630 in	4.500 in	30 psi	Polypropylene	
<u>THG150-60</u>	1 1/2	4.800 in	2.630 in	4.500 in	60 psi	Polypropylene	
<u>THG150-100</u>	1 1/2	4.800 in	2.630 in	4.500 in	100 psi	Polypropylene	
<u>THG150-200</u>	1 1/2	4.800 in	2.630 in	4.500 in	200 psi	Polypropylene	
<u>THG200-15</u>	2	4.800 in	2.630 in	4.500 in	15 psi	Polypropylene	
<u>THG200-30</u>	2	4.800 in	2.630 in	4.500 in	30 psi	Polypropylene	
<u>THG200-60</u>	2	4.800 in	2.630 in	4.500 in	60 psi	Polypropylene	
<u>THG200-100</u>	2	4.800 in	2.630 in	4.500 in	100 psi	Polypropylene	
<u>THG200-200</u>	2	4.800 in	2.630 in	4.500 in	200 psi	Polypropylene	
<u>KHG075-15</u>	MINI	4.000 in	1.810 in	3.810 in	15 psi	PVDF	
<u>KHG075-30</u>	MINI	4.000 in	1.810 in	3.810 in	30 psi	PVDF	
<u>KHG075-60</u>	MINI	4.000 in	1.810 in	3.810 in	60 psi	PVDF	
<u>KHG075-100</u>	MINI	4.000 in	1.810 in	3.810 in	100 psi	PVDF	
<u>KHG075-200</u>	MINI	4.000 in	1.810 in	3.810 in	200 psi	PVDF	
<u>KHG100-15</u>	MAXI	4.000 in	1.810 in	3.810 in	15 psi	PVDF	
<u>KHG100-30</u>	MAXI	4.000 in	1.810 in	3.810 in	30 psi	PVDF	
<u>KHG100-60</u>	MAXI	4.000 in	1.810 in	3.810 in	60 psi	PVDF	
<u>KHG100-100</u>	MAXI	4.000 in	1.810 in	3.810 in	100 psi	PVDF	
<u>KHG100-200</u>	MAXI	4.000 in	1.810 in	3.810 in	200 psi	PVDF	
<u>KHG150-15</u>	1 1/2	4.800 in	2.630 in	4.500 in	15 psi	PVDF	
<u>KHG150-30</u>	1 1/2	4.800 in	2.630 in	4.500 in	30 psi	PVDF	
<u>KHG150-60</u>	1 1/2	4.800 in	2.630 in	4.500 in	60 psi	PVDF	

<u>Item #</u>	<u>Size</u>	<u>A</u>	<u>B</u>	<u>C</u>	<u>Gauge</u>	<u>Material</u>	<u>CAD</u>
<u>KHG150-100</u>	1 1/2	4.800 in	2.630 in	4.500 in	100 psi	PVDF	
<u>KHG150-200</u>	1 1/2	4.800 in	2.630 in	4.500 in	200 psi	PVDF	
<u>KHG200-15</u>	2	4.800 in	2.630 in	4.500 in	15 psi	PVDF	
<u>KHG200-30</u>	2	4.800 in	2.630 in	4.500 in	30 psi	PVDF	
<u>KHG200-60</u>	2	4.800 in	2.630 in	4.500 in	60 psi	PVDF	
<u>KHG200-100</u>	2	4.800 in	2.630 in	4.500 in	100 psi	PVDF	
<u>KHG200-200</u>	2	4.800 in	2.630 in	4.500 in	200 psi	PVDF	