




Saint-Gobain

Sani-Tech® Polysulfone Sight Gauge

- Utilize to view the fluid in the system via the polysulfone sight gauge
- PVDF end connections with a polysulfone sight gauge
- Available in sizes from 3/4" to 4"



1

Item #	Tri-Clamp Size	A	B	C	Length	CAD
<u>PS075-3</u>	MINI	0.992 in	0.560 in	0.600 in	3.000 in	
<u>PS075-6</u>	MINI	0.992 in	0.560 in	0.600 in	6.000 in	
<u>PS075-12</u>	MINI	0.992 in	0.560 in	0.600 in	12.000 in	
<u>PS075-24</u>	MINI	0.992 in	0.560 in	0.600 in	24.000 in	
<u>PS075-36</u>	MINI	0.992 in	0.560 in	0.600 in	36.000 in	
<u>PS075-48</u>	MINI	0.992 in	0.560 in	0.600 in	48.000 in	
<u>PS075-60</u>	MINI	0.992 in	0.560 in	0.600 in	60.000 in	
<u>PS075-120</u>	MINI	0.992 in	0.560 in	0.600 in	120.000 in	
<u>PS100-3</u>	MAXI	1.500 in	0.856 in	0.850 in	3.000 in	
<u>PS100-6</u>	MAXI	1.500 in	0.856 in	0.850 in	6.000 in	

Item #	Tri-Clamp Size	A	B	C	Length	CAD
<u>PS100-12</u>	MAXI	1.500 in	0.856 in	0.850 in	12.000 in	
<u>PS100-24</u>	MAXI	1.500 in	0.856 in	0.850 in	24.000 in	
<u>PS100-36</u>	MAXI	1.500 in	0.856 in	0.850 in	36.000 in	
<u>PS100-48</u>	MAXI	1.500 in	0.856 in	0.850 in	48.000 in	
<u>PS100-60</u>	MAXI	1.500 in	0.856 in	0.850 in	60.000 in	
<u>PS100-120</u>	MAXI	1.500 in	0.856 in	0.850 in	120.000 in	
<u>PS100L-3</u>	LADISH	1.984 in	0.856 in	0.850 in	3.000 in	
<u>PS100L-6</u>	LADISH	1.984 in	0.856 in	0.850 in	6.000 in	
<u>PS100L-12</u>	LADISH	1.984 in	0.856 in	0.850 in	12.000 in	
<u>PS100L-24</u>	LADISH	1.984 in	0.856 in	0.850 in	24.000 in	
<u>PS100L-36</u>	LADISH	1.984 in	0.856 in	0.850 in	36.000 in	
<u>PS100L-48</u>	LADISH	1.984 in	0.856 in	0.850 in	48.000 in	
<u>PS100L-60</u>	LADISH	1.984 in	0.856 in	0.850 in	60.000 in	
<u>PS100L-120</u>	LADISH	1.984 in	0.856 in	0.850 in	120.000 in	
<u>PS150L-3</u>	1 1/2	1.984 in	1.356 in	0.825 in	3.000 in	
<u>PS150L-6</u>	1 1/2	1.984 in	1.356 in	0.825 in	6.000 in	
<u>PS150L-12</u>	1 1/2	1.984 in	1.356 in	0.825 in	12.000 in	
<u>PS150L-24</u>	1 1/2	1.984 in	1.356 in	0.825 in	24.000 in	
<u>PS150L-36</u>	1 1/2	1.984 in	1.356 in	0.825 in	36.000 in	
<u>PS150L-48</u>	1 1/2	1.984 in	1.356 in	0.825 in	48.000 in	
<u>PS150L-60</u>	1 1/2	1.984 in	1.356 in	0.825 in	60.000 in	
<u>PS150L-120</u>	1 1/2	1.984 in	1.356 in	0.825 in	120.000 in	
<u>PS200-3</u>	2	2.516 in	1.842 in	0.825 in	3.000 in	

Item #	Tri-Clamp Size	A	B	C	Length	CAD
<u>PS200-6</u>	2	2.516 in	1.842 in	0.825 in	6.000 in	
<u>PS200-12</u>	2	2.516 in	1.842 in	0.825 in	12.000 in	
<u>PS200-24</u>	2	2.516 in	1.842 in	0.825 in	24.000 in	
<u>PS200-36</u>	2	2.516 in	1.842 in	0.825 in	36.000 in	
<u>PS200-48</u>	2	2.516 in	1.842 in	0.825 in	48.000 in	
<u>PS200-60</u>	2	2.516 in	1.842 in	0.825 in	60.000 in	
<u>PS200-120</u>	2	2.516 in	1.842 in	0.825 in	120.000 in	
<u>PS250-3</u>	2 1/2	3.047 in	2.356 in	0.900 in	3.000 in	
<u>PS250-6</u>	2 1/2	3.047 in	2.356 in	0.900 in	6.000 in	
<u>PS250-12</u>	2 1/2	3.047 in	2.356 in	0.900 in	12.000 in	
<u>PS250-24</u>	2 1/2	3.047 in	2.356 in	0.900 in	24.000 in	
<u>PS250-36</u>	2 1/2	3.047 in	2.356 in	0.900 in	36.000 in	
<u>PS250-48</u>	2 1/2	3.047 in	2.356 in	0.900 in	48.000 in	
<u>PS250-60</u>	2 1/2	3.047 in	2.356 in	0.900 in	60.000 in	
<u>PS250-120</u>	2 1/2	3.047 in	2.356 in	0.900 in	120.000 in	
<u>PS300-3</u>	3	3.579 in	2.856 in	0.920 in	3.000 in	
<u>PS300-6</u>	3	3.579 in	2.856 in	0.920 in	6.000 in	
<u>PS300-12</u>	3	3.579 in	2.856 in	0.920 in	12.000 in	
<u>PS300-24</u>	3	3.579 in	2.856 in	0.920 in	24.000 in	
<u>PS300-36</u>	3	3.579 in	2.856 in	0.920 in	36.000 in	
<u>PS300-48</u>	3	3.579 in	2.856 in	0.920 in	48.000 in	
<u>PS300-60</u>	3	3.579 in	2.856 in	0.920 in	60.000 in	
<u>PS300-120</u>	3	3.579 in	2.856 in	0.920 in	120.000 in	

Item #	Tri-Clamp Size	A	B	C	Length	CAD
<u>PS400-3</u>	4	4.682 in	3.810 in	0.850 in	3.000 in	
<u>PS400-6</u>	4	4.682 in	3.810 in	0.850 in	6.000 in	
<u>PS400-12</u>	4	4.682 in	3.810 in	0.850 in	12.000 in	
<u>PS400-24</u>	4	4.682 in	3.810 in	0.850 in	24.000 in	
<u>PS400-36</u>	4	4.682 in	3.810 in	0.850 in	36.000 in	
<u>PS400-48</u>	4	4.682 in	3.810 in	0.850 in	48.000 in	
<u>PS400-60</u>	4	4.682 in	3.810 in	0.850 in	60.000 in	
<u>PS400-120</u>	4	4.682 in	3.810 in	0.850 in	120.000 in	