





Saint-Gobain

Sani-Tech® Tri-Clamp x NPT Tee



1

Item #	Spool Size x NPT	A	B	C	Material	CAD
<u>TST075-02M</u>	MINI TC x 1/8 MALE NPT	5.250 in	2.620 in	1.250 in	Polypropylene	
<u>TST075-04M</u>	MINI TC x 1/4 MALE NPT	5.250 in	2.620 in	1.250 in	Polypropylene	
<u>TST075-06M</u>	MINI TC x 3/8 MALE NPT	5.250 in	2.620 in	1.250 in	Polypropylene	
<u>TST075-08M</u>	MINI TC x 1/2 MALE NPT	5.250 in	2.620 in	1.250 in	Polypropylene	
<u>TST075-12M</u>	MINI TC x 3/4 MALE NPT	5.250 in	2.620 in	1.250 in	Polypropylene	
<u>TST100-02M</u>	MAXI TC x 1/8 MALE NPT	4.000 in	2.000 in	1.250 in	Polypropylene	
<u>TST100-04M</u>	MAXI TC x 1/4 MALE NPT	4.000 in	2.000 in	1.250 in	Polypropylene	
<u>TST100-06M</u>	MAXI TC x 3/8 MALE NPT	4.000 in	2.000 in	1.250 in	Polypropylene	
<u>TST100-08M</u>	MAXI TC x 1/2 MALE NPT	4.000 in	2.000 in	1.250 in	Polypropylene	
<u>TST100-12M</u>	MAXI TC x 3/4 MALE NPT	4.000 in	2.000 in	1.250 in	Polypropylene	

Item #	Spool Size x NPT	A	B	C	Material	CAD
<u>TST100L-02M</u>	1 LADISH TC x 1/8 MALE NPT	4.000 in	2.000 in	1.250 in	Polypropylene	
<u>TST100L-04M</u>	1 LADISH TC x 1/4 MALE NPT	4.000 in	2.000 in	1.250 in	Polypropylene	
<u>TST100L-06M</u>	1 LADISH TC x 3/8 MALE NPT	4.000 in	2.000 in	1.250 in	Polypropylene	
<u>TST100L-08M</u>	1 LADISH TC x 1/2 MALE NPT	4.000 in	2.000 in	1.250 in	Polypropylene	
<u>TST100L-12M</u>	1 LADISH TC x 3/4 MALE NPT	4.000 in	2.000 in	1.250 in	Polypropylene	
<u>TST150-02M</u>	1 1/2 TC x 1/8 MALE NPT	5.500 in	2.750 in	1.250 in	Polypropylene	
<u>TST150-04M</u>	1 1/2 TC x 1/4 MALE NPT	5.500 in	2.750 in	1.250 in	Polypropylene	
<u>TST150-06M</u>	1 1/2 TC x 3/8 MALE NPT	5.500 in	2.750 in	1.250 in	Polypropylene	
<u>TST150-08M</u>	1 1/2 TC x 1/2 MALE NPT	5.500 in	2.750 in	1.250 in	Polypropylene	
<u>TST150-12M</u>	1 1/2 TC x 3/4 MALE NPT	5.500 in	2.750 in	1.250 in	Polypropylene	
<u>TST200-02M</u>	2 TC x 1/8 MALE NPT	7.000 in	3.500 in	1.250 in	Polypropylene	
<u>TST200-04M</u>	2 TC x 1/4 MALE NPT	7.000 in	3.500 in	1.250 in	Polypropylene	
<u>TST200-06M</u>	2 TC x 3/8 MALE NPT	7.000 in	3.500 in	1.250 in	Polypropylene	
<u>TST200-08M</u>	2 TC x 1/2 MALE NPT	7.000 in	3.500 in	1.250 in	Polypropylene	
<u>TST200-12M</u>	2 TC x 3/4 MALE NPT	7.000 in	3.500 in	1.250 in	Polypropylene	
<u>TST250-02M</u>	2 1/2 TC x 1/8 MALE NPT	7.000 in	3.500 in	1.250 in	Polypropylene	
<u>TST250-04M</u>	2 1/2 TC x 1/4 MALE NPT	7.000 in	3.500 in	1.250 in	Polypropylene	
<u>TST250-06M</u>	2 1/2 TC x 3/8 MALE NPT	7.000 in	3.500 in	1.250 in	Polypropylene	
<u>TST250-08M</u>	2 1/2 TC x 1/2 MALE NPT	7.000 in	3.500 in	1.250 in	Polypropylene	
<u>TST250-12M</u>	2 1/2 TC x 3/4 MALE NPT	7.000 in	3.500 in	1.250 in	Polypropylene	
<u>TST300-02M</u>	3 TC x 1/8 MALE NPT	7.500 in	3.750 in	1.250 in	Polypropylene	
<u>TST300-04M</u>	3 TC x 1/4 MALE NPT	7.500 in	3.750 in	1.250 in	Polypropylene	
<u>TST300-06M</u>	3 TC x 3/8 MALE NPT	7.500 in	3.750 in	1.250 in	Polypropylene	

Item #	Spool Size x NPT	A	B	C	Material	CAD
<u>TST300-08M</u>	3 TC x 1/2 MALE NPT	7.500 in	3.750 in	1.250 in	Polypropylene	
<u>TST300-12M</u>	3 TC x 3/4 MALE NPT	7.500 in	3.750 in	1.250 in	Polypropylene	
<u>TST400-02M</u>	4 TC x 1/8 MALE NPT	9.000 in	4.500 in	1.250 in	Polypropylene	
<u>TST400-04M</u>	4 TC x 1/4 MALE NPT	9.000 in	4.500 in	1.250 in	Polypropylene	
<u>TST400-06M</u>	4 TC x 3/8 MALE NPT	9.000 in	4.500 in	1.250 in	Polypropylene	
<u>TST400-08M</u>	4 TC x 1/2 MALE NPT	9.000 in	4.500 in	1.250 in	Polypropylene	
<u>TST400-12M</u>	4 TC x 3/4 MALE NPT	9.000 in	4.500 in	1.250 in	Polypropylene	
<u>TST075-02F</u>	MINI TC x 1/8 FEMALE NPT	5.250 in	2.620 in	1.080 in	Polypropylene	
<u>TST075-04F</u>	MINI TC x 1/4 FEMALE NPT	5.250 in	2.620 in	1.080 in	Polypropylene	
<u>TST075-06F</u>	MINI TC x 3/8 FEMALE NPT	5.250 in	2.620 in	1.080 in	Polypropylene	
<u>TST075-08F</u>	MINI TC x 1/2 FEMALE NPT	5.250 in	2.620 in	1.080 in	Polypropylene	
<u>TST075-12F</u>	MINI TC x 3/4 FEMALE NPT	5.250 in	2.620 in	1.080 in	Polypropylene	
<u>TST100-02F</u>	MAXI TC x 1/8 FEMALE NPT	4.000 in	2.000 in	1.080 in	Polypropylene	
<u>TST100-04F</u>	MAXI TC x 1/4 FEMALE NPT	4.000 in	2.000 in	1.080 in	Polypropylene	
<u>TST100-06F</u>	MAXI TC x 3/8 FEMALE NPT	4.000 in	2.000 in	1.080 in	Polypropylene	
<u>TST100-08F</u>	MAXI TC x 1/2 FEMALE NPT	4.000 in	2.000 in	1.080 in	Polypropylene	
<u>TST100-12F</u>	MAXI TC x 3/4 FEMALE NPT	4.000 in	2.000 in	1.080 in	Polypropylene	
<u>TST100L-02F</u>	1 LADISH TC x 1/8 FEMALE NPT	4.000 in	2.000 in	1.080 in	Polypropylene	
<u>TST100L-04F</u>	1 LADISH TC x 1/4 FEMALE NPT	4.000 in	2.000 in	1.080 in	Polypropylene	
<u>TST100L-06F</u>	1 LADISH TC x 3/8 FEMALE NPT	4.000 in	2.000 in	1.080 in	Polypropylene	
<u>TST100L-08F</u>	1 LADISH TC x 1/2 FEMALE NPT	4.000 in	2.000 in	1.080 in	Polypropylene	
<u>TST100L-12F</u>	1 LADISH TC x 3/4 FEMALE NPT	4.000 in	2.000 in	1.080 in	Polypropylene	
<u>TST150-02F</u>	1 1/2 TC x 1/8 FEMALE NPT	5.500 in	2.750 in	1.080 in	Polypropylene	

Item #	Spool Size x NPT	A	B	C	Material	CAD
<u>TST150-04F</u>	1 1/2 TC x 1/4 FEMALE NPT	5.500 in	2.750 in	1.080 in	Polypropylene	
<u>TST150-06F</u>	1 1/2 TC x 3/8 FEMALE NPT	5.500 in	2.750 in	1.080 in	Polypropylene	
<u>TST150-08F</u>	1 1/2 TC x 1/2 FEMALE NPT	5.500 in	2.750 in	1.080 in	Polypropylene	
<u>TST150-12F</u>	1 1/2 TC x 3/4 FEMALE NPT	5.500 in	2.750 in	1.080 in	Polypropylene	
<u>TST200-02F</u>	2 TC x 1/8 FEMALE NPT	7.000 in	3.500 in	1.080 in	Polypropylene	
<u>TST200-04F</u>	2 TC x 1/4 FEMALE NPT	7.000 in	3.500 in	1.080 in	Polypropylene	
<u>TST200-06F</u>	2 TC x 3/8 FEMALE NPT	7.000 in	3.500 in	1.080 in	Polypropylene	
<u>TST200-08F</u>	2 TC x 1/2 FEMALE NPT	7.000 in	3.500 in	1.080 in	Polypropylene	
<u>TST200-12F</u>	2 TC x 3/4 FEMALE NPT	7.000 in	3.500 in	1.080 in	Polypropylene	
<u>TST250-02F</u>	2 1/2 TC x 1/8 FEMALE NPT	7.000 in	3.500 in	1.080 in	Polypropylene	
<u>TST250-04F</u>	2 1/2 TC x 1/4 FEMALE NPT	7.000 in	3.500 in	1.080 in	Polypropylene	
<u>TST250-06F</u>	2 1/2 TC x 3/8 FEMALE NPT	7.000 in	3.500 in	1.080 in	Polypropylene	
<u>TST250-08F</u>	2 1/2 TC x 1/2 FEMALE NPT	7.000 in	3.500 in	1.080 in	Polypropylene	
<u>TST250-12F</u>	2 1/2 TC x 3/4 FEMALE NPT	7.000 in	3.500 in	1.080 in	Polypropylene	
<u>TST300-02F</u>	3 TC x 1/8 FEMALE NPT	7.500 in	3.750 in	1.080 in	Polypropylene	
<u>TST300-04F</u>	3 TC x 1/4 FEMALE NPT	7.500 in	3.750 in	1.080 in	Polypropylene	
<u>TST300-06F</u>	3 TC x 3/8 FEMALE NPT	7.500 in	3.750 in	1.080 in	Polypropylene	
<u>TST300-08F</u>	3 TC x 1/2 FEMALE NPT	7.500 in	3.750 in	1.080 in	Polypropylene	
<u>TST300-12F</u>	3 TC x 3/4 FEMALE NPT	7.500 in	3.750 in	1.080 in	Polypropylene	
<u>TST400-02F</u>	4 TC x 1/8 FEMALE NPT	9.000 in	4.500 in	1.080 in	Polypropylene	
<u>TST400-04F</u>	4 TC x 1/4 FEMALE NPT	9.000 in	4.500 in	1.080 in	Polypropylene	
<u>TST400-06F</u>	4 TC x 3/8 FEMALE NPT	9.000 in	4.500 in	1.080 in	Polypropylene	
<u>TST400-08F</u>	4 TC x 1/2 FEMALE NPT	9.000 in	4.500 in	1.080 in	Polypropylene	

Item #	Spool Size x NPT	A	B	C	Material	CAD
<u>TST400-12F</u>	4 TC x 3/4 FEMALE NPT	9.000 in	4.500 in	1.080 in	Polypropylene	
<u>KST075-02M</u>	MINI TC x 1/8 MALE NPT	5.250 in	2.620 in	1.250 in	PVDF	
<u>KST075-04M</u>	MINI TC x 1/4 MALE NPT	5.250 in	2.620 in	1.250 in	PVDF	
<u>KST075-06M</u>	MINI TC x 3/8 MALE NPT	5.250 in	2.620 in	1.250 in	PVDF	
<u>KST075-08M</u>	MINI TC x 1/2 MALE NPT	5.250 in	2.620 in	1.250 in	PVDF	
<u>KST075-12M</u>	MINI TC x 3/4 MALE NPT	5.250 in	2.620 in	1.250 in	PVDF	
<u>KST100-02M</u>	MAXI TC x 1/8 MALE NPT	4.000 in	2.000 in	1.250 in	PVDF	
<u>KST100-04M</u>	MAXI TC x 1/4 MALE NPT	4.000 in	2.000 in	1.250 in	PVDF	
<u>KST100-06M</u>	MAXI TC x 3/8 MALE NPT	4.000 in	2.000 in	1.250 in	PVDF	
<u>KST100-08M</u>	MAXI TC x 1/2 MALE NPT	4.000 in	2.000 in	1.250 in	PVDF	
<u>KST100-12M</u>	MAXI TC x 3/4 MALE NPT	4.000 in	2.000 in	1.250 in	PVDF	
<u>KST100L-02M</u>	1 LADISH TC x 1/8 MALE NPT	4.000 in	2.000 in	1.250 in	PVDF	
<u>KST100L-04M</u>	1 LADISH TC x 1/4 MALE NPT	4.000 in	2.000 in	1.250 in	PVDF	
<u>KST100L-06M</u>	1 LADISH TC x 3/8 MALE NPT	4.000 in	2.000 in	1.250 in	PVDF	
<u>KST100L-08M</u>	1 LADISH TC x 1/2 MALE NPT	4.000 in	2.000 in	1.250 in	PVDF	
<u>KST100L-12M</u>	1 LADISH TC x 3/4 MALE NPT	4.000 in	2.000 in	1.250 in	PVDF	
<u>KST150-02M</u>	1 1/2 TC x 1/8 MALE NPT	5.500 in	2.750 in	1.250 in	PVDF	
<u>KST150-04M</u>	1 1/2 TC x 1/4 MALE NPT	5.500 in	2.750 in	1.250 in	PVDF	
<u>KST150-06M</u>	1 1/2 TC x 3/8 MALE NPT	5.500 in	2.750 in	1.250 in	PVDF	
<u>KST150-08M</u>	1 1/2 TC x 1/2 MALE NPT	5.500 in	2.750 in	1.250 in	PVDF	
<u>KST150-12M</u>	1 1/2 TC x 3/4 MALE NPT	5.500 in	2.750 in	1.250 in	PVDF	
<u>KST200-02M</u>	2 TC x 1/8 MALE NPT	7.000 in	3.500 in	1.250 in	PVDF	
<u>KST200-04M</u>	2 TC x 1/4 MALE NPT	7.000 in	3.500 in	1.250 in	PVDF	

Item #	Spool Size x NPT	A	B	C	Material	CAD
<u>KST200-06M</u>	2 TC x 3/8 MALE NPT	7.000 in	3.500 in	1.250 in	PVDF	
<u>KST200-08M</u>	2 TC x 1/2 MALE NPT	7.000 in	3.500 in	1.250 in	PVDF	
<u>KST200-12M</u>	2 TC x 3/4 MALE NPT	7.000 in	3.500 in	1.250 in	PVDF	
<u>KST250-02M</u>	2 1/2 TC x 1/8 MALE NPT	7.000 in	3.500 in	1.250 in	PVDF	
<u>KST250-04M</u>	2 1/2 TC x 1/4 MALE NPT	7.000 in	3.500 in	1.250 in	PVDF	
<u>KST250-06M</u>	2 1/2 TC x 3/8 MALE NPT	7.000 in	3.500 in	1.250 in	PVDF	
<u>KST250-08M</u>	2 1/2 TC x 1/2 MALE NPT	7.000 in	3.500 in	1.250 in	PVDF	
<u>KST250-12M</u>	2 1/2 TC x 3/4 MALE NPT	7.000 in	3.500 in	1.250 in	PVDF	
<u>KST300-02M</u>	3 TC x 1/8 MALE NPT	7.500 in	3.750 in	1.250 in	PVDF	
<u>KST300-04M</u>	3 TC x 1/4 MALE NPT	7.500 in	3.750 in	1.250 in	PVDF	
<u>KST300-06M</u>	3 TC x 3/8 MALE NPT	7.500 in	3.750 in	1.250 in	PVDF	
<u>KST300-08M</u>	3 TC x 1/2 MALE NPT	7.500 in	3.750 in	1.250 in	PVDF	
<u>KST300-12M</u>	3 TC x 3/4 MALE NPT	7.500 in	3.750 in	1.250 in	PVDF	
<u>KST400-02M</u>	4 TC x 1/8 MALE NPT	9.000 in	4.500 in	1.250 in	PVDF	
<u>KST400-04M</u>	4 TC x 1/4 MALE NPT	9.000 in	4.500 in	1.250 in	PVDF	
<u>KST400-06M</u>	4 TC x 3/8 MALE NPT	9.000 in	4.500 in	1.250 in	PVDF	
<u>KST400-08M</u>	4 TC x 1/2 MALE NPT	9.000 in	4.500 in	1.250 in	PVDF	
<u>KST400-12M</u>	4 TC x 3/4 MALE NPT	9.000 in	4.500 in	1.250 in	PVDF	
<u>KST075-02F</u>	MINI TC x 1/8 FEMALE NPT	5.250 in	2.620 in	1.080 in	PVDF	
<u>KST075-04F</u>	MINI TC x 1/4 FEMALE NPT	5.250 in	2.620 in	1.080 in	PVDF	
<u>KST075-06F</u>	MINI TC x 3/8 FEMALE NPT	5.250 in	2.620 in	1.080 in	PVDF	
<u>KST075-08F</u>	MINI TC x 1/2 FEMALE NPT	5.250 in	2.620 in	1.080 in	PVDF	
<u>KST075-12F</u>	MINI TC x 3/4 FEMALE NPT	5.250 in	2.620 in	1.080 in	PVDF	

Item #	Spool Size x NPT	A	B	C	Material	CAD
<u>KST100-02F</u>	MAXI TC x 1/8 FEMALE NPT	4.000 in	2.000 in	1.080 in	PVDF	
<u>KST100-04F</u>	MAXI TC x 1/4 FEMALE NPT	4.000 in	2.000 in	1.080 in	PVDF	
<u>KST100-06F</u>	MAXI TC x 3/8 FEMALE NPT	4.000 in	2.000 in	1.080 in	PVDF	
<u>KST100-08F</u>	MAXI TC x 1/2 FEMALE NPT	4.000 in	2.000 in	1.080 in	PVDF	
<u>KST100-12F</u>	MAXI TC x 3/4 FEMALE NPT	4.000 in	2.000 in	1.080 in	PVDF	
<u>KST100L-02F</u>	1 LADISH TC x 1/8 FEMALE NPT	4.000 in	2.000 in	1.080 in	PVDF	
<u>KST100L-04F</u>	1 LADISH TC x 1/4 FEMALE NPT	4.000 in	2.000 in	1.080 in	PVDF	
<u>KST100L-06F</u>	1 LADISH TC x 3/8 FEMALE NPT	4.000 in	2.000 in	1.080 in	PVDF	
<u>KST100L-08F</u>	1 LADISH TC x 1/2 FEMALE NPT	4.000 in	2.000 in	1.080 in	PVDF	
<u>KST100L-12F</u>	1 LADISH TC x 3/4 FEMALE NPT	4.000 in	2.000 in	1.080 in	PVDF	
<u>KST150-02F</u>	1 1/2 TC x 1/8 FEMALE NPT	5.500 in	2.750 in	1.080 in	PVDF	
<u>KST150-04F</u>	1 1/2 TC x 1/4 FEMALE NPT	5.500 in	2.750 in	1.080 in	PVDF	
<u>KST150-06F</u>	1 1/2 TC x 3/8 FEMALE NPT	5.500 in	2.750 in	1.080 in	PVDF	
<u>KST150-08F</u>	1 1/2 TC x 1/2 FEMALE NPT	5.500 in	2.750 in	1.080 in	PVDF	
<u>KST150-12F</u>	1 1/2 TC x 3/4 FEMALE NPT	5.500 in	2.750 in	1.080 in	PVDF	
<u>KST200-02F</u>	2 TC x 1/8 FEMALE NPT	7.000 in	3.500 in	1.080 in	PVDF	
<u>KST200-04F</u>	2 TC x 1/4 FEMALE NPT	7.000 in	3.500 in	1.080 in	PVDF	
<u>KST200-06F</u>	2 TC x 3/8 FEMALE NPT	7.000 in	3.500 in	1.080 in	PVDF	
<u>KST200-08F</u>	2 TC x 1/2 FEMALE NPT	7.000 in	3.500 in	1.080 in	PVDF	
<u>KST200-12F</u>	2 TC x 3/4 FEMALE NPT	7.000 in	3.500 in	1.080 in	PVDF	
<u>KST250-02F</u>	2 1/2 TC x 1/8 FEMALE NPT	7.000 in	3.500 in	1.080 in	PVDF	
<u>KST250-04F</u>	2 1/2 TC x 1/4 FEMALE NPT	7.000 in	3.500 in	1.080 in	PVDF	
<u>KST250-06F</u>	2 1/2 TC x 3/8 FEMALE NPT	7.000 in	3.500 in	1.080 in	PVDF	

Item #	Spool Size x NPT	A	B	C	Material	CAD
<u>KST250-08F</u>	2 1/2 TC x 1/2 FEMALE NPT	7.000 in	3.500 in	1.080 in	PVDF	
<u>KST250-12F</u>	2 1/2 TC x 3/4 FEMALE NPT	7.000 in	3.500 in	1.080 in	PVDF	
<u>KST300-02F</u>	3 TC x 1/8 FEMALE NPT	7.500 in	3.750 in	1.080 in	PVDF	
<u>KST300-04F</u>	3 TC x 1/4 FEMALE NPT	7.500 in	3.750 in	1.080 in	PVDF	
<u>KST300-06F</u>	3 TC x 3/8 FEMALE NPT	7.500 in	3.750 in	1.080 in	PVDF	
<u>KST300-08F</u>	3 TC x 1/2 FEMALE NPT	7.500 in	3.750 in	1.080 in	PVDF	
<u>KST300-12F</u>	3 TC x 3/4 FEMALE NPT	7.500 in	3.750 in	1.080 in	PVDF	
<u>KST400-02F</u>	4 TC x 1/8 FEMALE NPT	9.000 in	4.500 in	1.080 in	PVDF	
<u>KST400-04F</u>	4 TC x 1/4 FEMALE NPT	9.000 in	4.500 in	1.080 in	PVDF	
<u>KST400-06F</u>	4 TC x 3/8 FEMALE NPT	9.000 in	4.500 in	1.080 in	PVDF	
<u>KST400-08F</u>	4 TC x 1/2 FEMALE NPT	9.000 in	4.500 in	1.080 in	PVDF	
<u>KST400-12F</u>	4 TC x 3/4 FEMALE NPT	9.000 in	4.500 in	1.080 in	PVDF	