




Saint-Gobain

Sani-Tech® S.I.B. Manual ZDL Valve



1

Item #	Size	A	B	Cv	Material	Diaphragm Material	CAD
<u>STZD075-075</u>	MINI x MINI	3.810 in	2.700 in	6.50 gpm	Polypropylene	EPDM	
<u>STZD100-075</u>	MINI x MAXI	3.940 in	3.200 in	6.50 gpm	Polypropylene	EPDM	
<u>STZD100L-075</u>	MINI x LADISH	3.940 in	3.300 in	6.50 gpm	Polypropylene	EPDM	
<u>STZD150-075</u>	MINI x 1 1/2	3.940 in	4.100 in	6.50 gpm	Polypropylene	EPDM	
<u>STZD200-075</u>	MINI x 2	3.940 in	4.600 in	6.50 gpm	Polypropylene	EPDM	
<u>STZD250-075</u>	MINI x 2 1/2	3.940 in	6.0 in	6.50 gpm	Polypropylene	EPDM	
<u>STZD300-075</u>	MINI x 3	3.940 in	4.400 in	6.50 gpm	Polypropylene	EPDM	
<u>STZD100-100</u>	MAXI x MAXI	3.940 in	3.500 in	12.30 gpm	Polypropylene	EPDM	
<u>STZD100L-100</u>	MAXI x LADISH	3.940 in	3.500 in	12.30 gpm	Polypropylene	EPDM	
<u>STZD150-100</u>	MAXI x 1 1/2	3.940 in	4.000 in	12.30 gpm	Polypropylene	EPDM	

Item #	Size	A	B	Cv	Material	Diaphragm Material	CAD
<u>STZD200-100</u>	MAXI x 2	3.940 in	4.600 in	12.30 gpm	Polypropylene	EPDM	
<u>STZD250-100</u>	MAXI x 2 1/2	3.940 in	6.0 in	12.30 gpm	Polypropylene	EPDM	
<u>STZD300-100</u>	MAXI x 3	3.940 in	4.400 in	12.30 gpm	Polypropylene	EPDM	
<u>STZD100-100L</u>	LADISH x MAXI	3.940 in	3.500 in	12.30 gpm	Polypropylene	EPDM	
<u>STZD100L-100L</u>	LADISH x LADISH	3.940 in	3.500 in	12.30 gpm	Polypropylene	EPDM	
<u>STZD150-100L</u>	LADISH x 1 1/2	3.940 in	4.000 in	12.30 gpm	Polypropylene	EPDM	
<u>STZD200-100L</u>	LADISH x 2	3.940 in	4.600 in	12.30 gpm	Polypropylene	EPDM	
<u>STZD250-100L</u>	LADISH x 2 1/2	3.940 in	6.0 in	12.30 gpm	Polypropylene	EPDM	
<u>STZD300-100L</u>	LADISH x 3	3.940 in	4.400 in	12.30 gpm	Polypropylene	EPDM	
<u>SKZD075-075</u>	MINI x MINI	3.810 in	2.700 in	6.50 gpm	PVDF	EPDM	
<u>SKZD100-075</u>	MINI x MAXI	3.940 in	3.200 in	6.50 gpm	PVDF	EPDM	
<u>SKZD100L-075</u>	MINI x LADISH	3.940 in	3.300 in	6.50 gpm	PVDF	EPDM	
<u>SKZD150-075</u>	MINI x 1 1/2	3.940 in	4.100 in	6.50 gpm	PVDF	EPDM	
<u>SKZD200-075</u>	MINI x 2	3.940 in	4.600 in	6.50 gpm	PVDF	EPDM	
<u>SKZD250-075</u>	MINI x 2 1/2	3.940 in	6.0 in	6.50 gpm	PVDF	EPDM	
<u>SKZD300-075</u>	MINI x 3	3.940 in	4.400 in	6.50 gpm	PVDF	EPDM	
<u>SKZD100-100</u>	MAXI x MAXI	3.940 in	3.500 in	12.30 gpm	PVDF	EPDM	
<u>SKZD100L-100</u>	MAXI x LADISH	3.940 in	3.500 in	12.30 gpm	PVDF	EPDM	
<u>SKZD150-100</u>	MAXI x 1 1/2	3.940 in	4.000 in	12.30 gpm	PVDF	EPDM	
<u>SKZD200-100</u>	MAXI x 2	3.940 in	4.600 in	12.30 gpm	PVDF	EPDM	
<u>SKZD250-100</u>	MAXI x 2 1/2	3.940 in	6.0 in	12.30 gpm	PVDF	EPDM	
<u>SKZD300-100</u>	MAXI x 3	3.940 in	4.400 in	12.30 gpm	PVDF	EPDM	
<u>SKZD100-100L</u>	LADISH x MAXI	3.940 in	3.500 in	12.30 gpm	PVDF	EPDM	

Item #	Size	A	B	Cv	Material	Diaphragm Material	CAD
<u>SKZD100L-100L</u>	LADISH x LADISH	3.940 in	3.500 in	12.30 gpm	PVDF	EPDM	
<u>SKZD150-100L</u>	LADISH x 1 1/2	3.940 in	4.000 in	12.30 gpm	PVDF	EPDM	
<u>SKZD200-100L</u>	LADISH x 2	3.940 in	4.600 in	12.30 gpm	PVDF	EPDM	
<u>SKZD250-100L</u>	LADISH x 2 1/2	3.940 in	6.0 in	12.30 gpm	PVDF	EPDM	
<u>SKZD300-100L</u>	LADISH x 3	3.940 in	4.400 in	12.30 gpm	PVDF	EPDM	
<u>STZD075-075TF</u>	MINI x MINI	3.810 in	2.700 in	6.50 gpm	Polypropylene	Fluoropolymer	
<u>STZD100-075TF</u>	MINI x MAXI	3.940 in	3.200 in	6.50 gpm	Polypropylene	Fluoropolymer	
<u>STZD100L-075TF</u>	MINI x LADISH	3.940 in	3.300 in	6.50 gpm	Polypropylene	Fluoropolymer	
<u>STZD150-075TF</u>	MINI x 1 1/2	3.940 in	4.100 in	6.50 gpm	Polypropylene	Fluoropolymer	
<u>STZD200-075TF</u>	MINI x 2	3.940 in	4.600 in	6.50 gpm	Polypropylene	Fluoropolymer	
<u>STZD250-075TF</u>	MINI x 2 1/2	3.940 in	6.0 in	6.50 gpm	Polypropylene	Fluoropolymer	
<u>STZD300-075TF</u>	MINI x 3	3.940 in	4.400 in	6.50 gpm	Polypropylene	Fluoropolymer	
<u>STZD100-100TF</u>	MAXI x MAXI	3.940 in	3.500 in	12.30 gpm	Polypropylene	Fluoropolymer	
<u>STZD100L-100TF</u>	MAXI x LADISH	3.940 in	3.500 in	12.30 gpm	Polypropylene	Fluoropolymer	
<u>STZD150-100TF</u>	MAXI x 1 1/2	3.940 in	4.000 in	12.30 gpm	Polypropylene	Fluoropolymer	
<u>STZD200-100TF</u>	MAXI x 2	3.940 in	4.600 in	12.30 gpm	Polypropylene	Fluoropolymer	
<u>STZD250-100TF</u>	MAXI x 2 1/2	3.940 in	6.0 in	12.30 gpm	Polypropylene	Fluoropolymer	
<u>STZD300-100TF</u>	MAXI x 3	3.940 in	4.400 in	12.30 gpm	Polypropylene	Fluoropolymer	
<u>STZD100-100LTF</u>	LADISH x MAXI	3.940 in	3.500 in	12.30 gpm	Polypropylene	Fluoropolymer	
<u>STZD100L-100LTF</u>	LADISH x LADISH	3.940 in	3.500 in	12.30 gpm	Polypropylene	Fluoropolymer	
<u>STZD150-100LTF</u>	LADISH x 1 1/2	3.940 in	4.000 in	12.30 gpm	Polypropylene	Fluoropolymer	
<u>STZD200-100LTF</u>	LADISH x 2	3.940 in	4.600 in	12.30 gpm	Polypropylene	Fluoropolymer	
<u>STZD250-100LTF</u>	LADISH x 2 1/2	3.940 in	6.0 in	12.30 gpm	Polypropylene	Fluoropolymer	

Item #	Size	A	B	Cv	Material	Diaphragm Material	CAD
<u>STZD300-100LTF</u>	LADISH x 3	3.940 in	4.400 in	12.30 gpm	Polypropylene	Fluoropolymer	
<u>SKZD075-075TF</u>	MINI x MINI	3.810 in	2.700 in	6.50 gpm	PVDF	Fluoropolymer	
<u>SKZD100-075TF</u>	MINI x MAXI	3.940 in	3.200 in	6.50 gpm	PVDF	Fluoropolymer	
<u>SKZD100L-075TF</u>	MINI x LADISH	3.940 in	3.300 in	6.50 gpm	PVDF	Fluoropolymer	
<u>SKZD150-075TF</u>	MINI x 1 1/2	3.940 in	4.100 in	6.50 gpm	PVDF	Fluoropolymer	
<u>SKZD200-075TF</u>	MINI x 2	3.940 in	4.600 in	6.50 gpm	PVDF	Fluoropolymer	
<u>SKZD250-075TF</u>	MINI x 2 1/2	3.940 in	6.0 in	6.50 gpm	PVDF	Fluoropolymer	
<u>SKZD300-075TF</u>	MINI x 3	3.940 in	4.400 in	6.50 gpm	PVDF	Fluoropolymer	
<u>SKZD100-100TF</u>	MAXI x MAXI	3.940 in	3.500 in	12.30 gpm	PVDF	Fluoropolymer	
<u>SKZD100L-100TF</u>	MAXI x LADISH	3.940 in	3.500 in	12.30 gpm	PVDF	Fluoropolymer	
<u>SKZD150-100TF</u>	MAXI x 1 1/2	3.940 in	4.000 in	12.30 gpm	PVDF	Fluoropolymer	
<u>SKZD200-100TF</u>	MAXI x 2	3.940 in	4.600 in	12.30 gpm	PVDF	Fluoropolymer	
<u>SKZD250-100TF</u>	MAXI x 2 1/2	3.940 in	6.0 in	12.30 gpm	PVDF	Fluoropolymer	
<u>SKZD300-100TF</u>	MAXI x 3	3.940 in	4.400 in	12.30 gpm	PVDF	Fluoropolymer	
<u>SKZD100-100LTF</u>	LADISH x MAXI	3.940 in	3.500 in	12.30 gpm	PVDF	Fluoropolymer	
<u>SKZD100L-100LTF</u>	LADISH x LADISH	3.940 in	3.500 in	12.30 gpm	PVDF	Fluoropolymer	
<u>SKZD150-100LTF</u>	LADISH x 1 1/2	3.940 in	4.000 in	12.30 gpm	PVDF	Fluoropolymer	
<u>SKZD200-100LTF</u>	LADISH x 2	3.940 in	4.600 in	12.30 gpm	PVDF	Fluoropolymer	
<u>SKZD250-100LTF</u>	LADISH x 2 1/2	3.940 in	6.0 in	12.30 gpm	PVDF	Fluoropolymer	
<u>SKZD300-100LTF</u>	LADISH x 3	3.940 in	4.400 in	12.30 gpm	PVDF	Fluoropolymer	